	rding to Reg rding to Regul		C) No. 1907/200 No 453/2010	6 (REACH)	LÆ	
Article No.: NG691 Print date: 21.06.2016 Version:		Revision date: 2	NEOGARDEN Wood De-Greyer Revision date: 28.04.2016 Issue date: 21.06.2016		V	
	SECTION 1: I	dentificatio	n of the substand	ce/mixture and of the	e company/undertakir	ng
1.1.	Product identif	iers				
	Article No. (mar Identification of		• •	NG691 NEOGARDEN Woo	od De-Greyer	
1.2.	Relevant ident Relevant ident Additive / Thinn	ified uses	the substance or r	nixture and uses advis	sed against	
1.3.	Details of the s	upplier of th	e safety data shee	t		
	Supplier (man Odenwälder Lad Werkstrasse 21 D-64732 Bad K Dept. responsi	ckfabrik Gmb		user/distributor): Telephone: +49 606 Telefax: +49 6063 5		
	Labor E-mail (compete			info@olf-lacke.de		
1.4.	Emergency tele Emergency tele Only available of	phone:		+49 6063 57710		
	SECTION 2: H	lazards ide	ntification			
2.1.	This mixture is a Eye Dam. 1 / H3 Label elements Labelling acco Hazard pictogr Hazard statements H318 Precautionary P280	according to classified as h 318 s rding to Reg ams Danger ents Cause statements Wear P338 IF IN F easy t oxalic	Regulation (EC) N nazardous according Serious eye dam ulation (EC) No. 12 es serious eye dama protective gloves/pro EYES: Rinse cautiou o do. Continue rinsin acid	ige. otective clothing/eye pro	Causes serious eye	
2.3.	Other hazards					
	SECTION 3: 0	Compositio	n / information o	n ingredients		
3.2.	Mixtures	•				
		ption / chem	ical characterizatio	on		
	Description	-	ge Dispersion			
	Hazardous ing					
		according to		o. 1272/2008 [CLP]		
	EC No. CAS No. INDEX No.		H No. ical name fication:			Wt % Remark

O D E N W Ä L D E R

O D E N W Ä L D E R

ABRIK

cle No.: nt date: rsion:	NG691 21.06.2016	NEOGARDEN Wood De-Greyer Revision date: 28.04.2016 Issue date: 21.06.2016	EN Page 2 / 6	Y	
205-634-3	3 01-2	119534576-33			
144-62-7 oxalic 607-006-00-8 Acute 931-138-8		c acid		2,5 - 5	
		Acute Tox. 4 H302 / Acute Tox. 4 H312 / Eye Dam. 1 H318			
69011-36	-5 Isotr	decanol, ethoxylated (>5-20EO)		0,5 - 1	
	Acut	e Tox. 4 H302 / Eye Dam. 1 H318			
931-138-8					
69011-36	-5 Isotr	decanol, ethoxylated (>5-20EO)		0,5 - 1	
	Acut	e Tox. 4 H302 / Eye Dam. 1 H318			

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. **Description of first aid measures**

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons: strong water jet

5.2. **Special hazards arising from the substance or mixture** Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.



Article No.:	NG691	NEOGARDEN Wood De-Greyer
Print date:	21.06.2016	Revision date: 28.04.2016
Version:		Issue date: 21.06.2016

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Occupational exposure controls

Respiratory protection

Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear suitable protective clothing and gloves.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical state	liquid
Colour	refer to label
Odour	characteristic
Safety relevant basis data	

Method



Article No. Print date: Version:		NEOGARDEN Wood De-Grey Revision date: 28.04.2016 Issue date: 21.06.2016	er EN Page 4 / 6	Y				
lgn Lov Up	sh point: ition temperature in °C: wer explosion limit: per explosion limit: pour pressure at 20 °C:	Not applicable n.a. n.a. n.a. 23,00						
Dei Wa pH	nsity at 20 °C: iter solubility (g/L): at 20 °C:	1,02	g/cm ³ 100,0	2244				
So So sol	scosity at 20 °C: Ivent separation test (%): Iid content (%): Ivent content:		Wt %					
w	rganic solvents: /ater: her information		Wt % Wt %					
SE	CTION 10: Stability and	I reactivity						
10.1. Re	•							
Sta	emical stability able when applying the reco apter 7.	mmended regulations for storag	e and handling. Further infor	mation on correct storage: refer to				
	ssibility of hazardous read ep away from strong acids,	ctions strong bases and strong oxidizin	g agents to avoid exothermic	reactions.				
Sta	 Conditions to avoid Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. Hazardous decomposition byproducts may form with exposure to high temperatures. 							
10.5. Inc	Incompatible materials							
Ha	B. Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxid smoke, nitrogen oxides.							
SE	CTION 11: Toxicologica	al information						
	assification according to Reg data on preparation itself a	gulation (EC) No. 1272/2008 [CL vailable.	P]					
11.1. Inf	ormation on toxicological	effects						
	ute toxicity							
	Toxicological data are not available.							
	skin corrosion/irritation; Serious eye damage/eye irritation							
	Toxicological data are not available. Respiratory or skin sensitisation							
	Toxicological data are not available.							
	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)							
	Toxicological data are not available.							
Sp	Specific target organ toxicity							
То	Toxicological data are not available.							
As	Aspiration hazard							
То	Toxicological data are not available.							
Pra	actical experience/human	evidence						
Re		t with the preparation may cause rption through skin. Splashing m						
	arall Assessment on CMD		-	-				

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark



Article No.:	NG691	NEOGARDEN Wood De-Greyer
Print date:	21.06.2016	Revision date: 28.04.2016
Version:		Issue date: 21.06.2016

There is no information available on the preparation itself .

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No. 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080111 waste paint and varnish containing organic solvents or other dangerous substances

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

	B	
14.4.	Packing group	n.a.
14.5.	Environmental hazards	
	Land transport (ADR/RID)	n.a.

14.6. Special precautions for user

Marine pollutant

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in



Article Print o Versio	date:	NG691 21.06.2016	NEOGARDEN Wood De-Greyer Revision date: 28.04.2016 Issue date: 21.06.2016	EN Page 6 / 6	Y	
		accident or leakag safe handling: se				
	Additional	information				
	Land trans	port (ADR/RID)				
	tunnel restr	iction code	-			
	Sea transp	ort (IMDG)				
	EmS-No.		n.a.			
14.7.	Transport	in bulk accordin	g to Annex II of MARPOL and the IBC	Code		
	not applica	ble				
	SECTION	15: Regulatory	information			
15.1.	1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
	EU legislation					
	VOC-value	n according to 1 (in g/L) ISO 1189 (in g/L) ASTM D)	VOC-guideline).	
	National re	gulations				
	Restrictions of occupation Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Other regulations, restrictions and prohibition regulations					
15.2.	Chemical s	Safety Assessme	ent is for substances in this preparation were	e not carried out.		

SECTION 16: Other information

Full text of classification in section 3:

Acute toxicity (oral)	
Acute toxicity (dermal)	
Serious eye damage/eye irritation	

Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage.

Abbreviations and acronyms

Not contained in the list of poisonous chemicals and precursor of the agreement governing chemical weapons (CWC)

Additional information

Acute Tox. 4 / H302

Acute Tox. 4 / H312

Eye Dam. 1 / H318

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.